

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

***Omite***<sup>®</sup>  
**570EW LIQUID MITICIDE**

**ACTIVE CONSTITUENT: 570 g/L PROPARGITE**

**GROUP 12C INSECTICIDE**

**For the control of mites in crops  
as per the DIRECTIONS OF USE table**

**Contents: 5 L**

Arysta LifeScience Australia Pty Ltd  
Level 7, 435 King William Street Adelaide SA 5000  
Tel: (08) 8112 0900 Fax: (08) 8112 0999

07/15/F



 **Arysta**  
LifeScience

## DIRECTIONS FOR USE:

### RESTRAINTS:

DO NOT add wetting agents or crop oils to spray solution.

Apply no more than 2 sprays per season, as per direction under mixing application section.

CROP	PEST CONTROLLED	STATES	RATE PER 100L	WITHHOLDING PERIOD	CRITICAL COMMENTS
Stone fruit	Two spotted mite	All States	105ml	7 days	Apply as a high volume spray as soon as mites appear. Further applications may be necessary later in the season. Omite 570EW must be applied with sufficient water to ensure thorough coverage to the point of run off of all leaf surfaces. Refer to mixing and application section for further information.
	European red mite				
Apples	Two spotted mite	All States	105ml		Apply where biological control is being practiced and predatory mites are active. Complete spray coverage is essential for adequate control.
	European red mite				
Apples and Stonefruit	Biological control of mites	All States	55ml		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### WITHHOLDING PERIOD:

**APPLES AND STONEFRUIT: DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION.**

### RE-ENTRY:

- DO NOT allow entry into treated areas for low exposure activities such as irrigation, scouting or weeding for 21 days unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.
- DO NOT allow entry into treated areas for high exposure activities such as harvesting, pruning, training or tying for 32 days unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

### GENERAL INSTRUCTIONS:

**DO NOT apply using spraying equipment carried on the back of the user.**

### Mixing and Application

Slowly add the required amount of product to the water under agitation in the spray vat.

Thorough coverage to the point of runoff is essential for efficacy. The volume of water required will depend on size of trees and will need to be adjusted so that complete coverage is achieved. As a guide use a minimum of 1000L – 1500L water per ha.

### Dilute spraying

- Use a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed.
- Set up and operate the sprayer to achieve even coverage throughout the crop canopy. Apply sufficient water to cover the point of run-off. Avoid excessive run-off.
- The required water volume may be determined by applying different test volumes, using different settings on the sprayer, from industry guidelines or expert advice.
- Add the amount of product specified in the Directions for Use table for each 100 L of water. Spray to the point of run-off. It is essential to maintain the rate per hectare, whilst ensuring the water rate used is adequate for tree size being sprayed.
- The required dilute spray volume will change and the sprayer set up and operation may also need to be changed, as the crop grows.
- This product is not an ovicide. For fruit trees, two sprays 10–14 days apart are desirable for long term results. This product is non-systemic in action. Complete spray coverage is essential for adequate control. Do NOT use higher concentration or low volume high concentrate spray application. If the lower rate is applied, the 2 spray programme is recommended. Early applications are recommended. These should be made before the mite population is sufficient to cause serious damage. Do NOT mix with other pesticides or foliar nutrients. Do NOT spray when temperature exceeds 27°C.

### Compatibility

A mixture of this product with any other product or more than one product may be ineffective or may cause serious damage. The use of such a mixture is, therefore, entirely at the user's risk. Do NOT add wetting agents or crop oils to spray solution as phytotoxicity may occur.

### Precautions

Omite is safe to its registered crops when applied under normal conditions. However there are two conditions which are known to increase the chance of Omite producing crop phytotoxicity:

- high temperatures, therefore result in burning of the plant tissue
  - slow drying conditions, which are generally associated with high humidity and low temperatures
- In order to avoid phytotoxicity;
- Spray at the ideal time which is during early morning and evening
  - Avoid spraying Omite during the middle of the day or on hot sunny days, where temperatures exceed 27°C.

### INSECTICIDE RESISTANCE WARNING

#### GROUP 12C INSECTICIDE

For insecticide resistance management Omite 570EW is a Group 12C insecticide. Some naturally occurring insect biotypes resistant to Omite 570EW and other Group 12C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Omite 570EW or other Group 12C insecticides are used repeatedly. The effectiveness of Omite 570EW on resistant individuals can be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Arysta LifeScience Australia Pty Ltd accepts no liability for any losses that may be result from the failure of Omite 570EW to control resistant insects. Omite 570EW may be subject to specific resistance management strategies. For further information contact your local supplier, Arysta LifeScience Australia Pty Ltd representative or local agricultural department agronomist.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do NOT contaminate streams, rivers or waterways with the product or used containers.

### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, well-ventilated area out of direct sunlight.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

### SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage the skin. Will irritate the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When mixing and loading or applying by hand wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, a face shield or goggles and a half-face piece respirator. When using the prepared spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat, elbow-length chemical gloves and a face shield. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash immediately with water. Wash hands after use. After each day's use wash gloves, respirator and if rubber wash with detergent and warm water, face shield or goggles, and contaminated clothing.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. If swallowed, do not induce vomiting. Give a glass of water.

### MATERIAL SAFETY DATA SHEET:

Additional information is listed in the Material Safety Data Sheet.

### CONDITIONS OF SALE:

Arysta LifeScience Australia Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Arysta LifeScience Australia Pty Ltd is limited to the replacement of the goods or (at the option of Arysta LifeScience Australia Pty Ltd) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Arysta LifeScience Australia Pty Ltd within thirty days of delivery.

<b>UN NO. 3082</b>	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS PROPARGITE) MARINE POLLUTANT</b>
In a Transport Emergency Dial <b>000</b> Police or Fire Brigade <b>P.G. III</b>	<b>SPECIALIST ADVICE IN EMERGENCY ONLY 1800 033 111 ALL HOURS – AUSTRALIA WIDE HAZCHEM 2[Z]</b>

® Omite is a registered trademark of MacDemid Agricultural Solutions Inc.



APVMA Approval No. 63387/5L/1209  
BN  
DOM