

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PLANTVAX® 750 WP SYSTEMIC FUNGICIDE

Product code : 400000004019

#### Details of the supplier of the safety data sheet

Company: Arysta LifeScience Australia Pty Ltd  
c/o Level 3, 70 Hindmarsh Square  
Adelaide SA  
Australia  
5000  
Telephone : + 61 8 8112 0900

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number: +61 2801 44558, ORICA : 1800 033 111 (24 hr Service)  
For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.  
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Agriculture  
For professional users only.  
APVMA No: 56010

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4


#### GHS Label element

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

Hazard pictograms : 

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Non-dangerous goods  
Hazardous substance  
Harmful to aquatic life with long lasting effects.  
Occupational health effects due to inhalation of mineral dusts incorporating crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc) graphite or coal.  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Oxycarboxin - 750 g/kg

#### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
oxycarboxin	5259-88-1	>= 60 - <= 100
silica gel	112926-00-8	>= 10 - < 30
kaolin	1332-58-7	< 10
docusate sodium	577-11-7	< 10
titanium dioxide	13463-67-7	< 10

### SECTION 4. FIRST AID MEASURES

General advice :

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

- For advice, contact a Poisons Information Centre (Phone: Australia 131 126 or New Zealand 0800 764 766) or a doctor at once.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : Symptoms may be delayed.  
Harmful if swallowed or if inhaled
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Specific hazards during fire-fighting : No information available.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.
- Environmental precautions : Try to prevent the material from entering drains or water courses.
-

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
 Language: EN

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
 Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.  
 Avoid exceeding the given occupational exposure limits (see section 8).  
 For personal protection see section 8.  
 Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
 When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silica gel	112926-00-8	TWA	10 mg/m <sup>3</sup>	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			
		TWA	10 mg/m <sup>3</sup>	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			
kaolin	1332-58-7	TWA	10 mg/m <sup>3</sup>	AU OEL
	Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			
		TWA (Respirable fraction)	2 mg/m <sup>3</sup>	ACGIH
titanium dioxide	13463-67-7	TWA	10 mg/m <sup>3</sup>	AU OEL
	Further information: This value is for inhalable dust containing no			

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

	asbestos and < 1% crystalline silica			
		TWA	10 mg/m3	ACGIH
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

### Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection
- Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Replace when worn.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Colour : tan
- Odour : typical
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/range : No data available
- Boiling point/boiling range : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : Not applicable
- Relative vapour density : Not applicable
- Relative density : No data available
- Solubility(ies)  
Water solubility : No data available

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : log Pow: 0.77

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : Not applicable

    Viscosity, kinematic : Not applicable

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if used as directed.

Conditions to avoid : No data available

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): 1,440 - 1,958 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 2.00 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

##### Components:

**oxycarboxin:**  
Acute oral toxicity : LD50 (Rat): 2,000 mg/kg

---

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

Acute dermal toxicity : LD50 (Rat): > 16,000 mg/kg

**silica gel:**

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

**kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**docusate sodium:**

Acute oral toxicity : LD50 (Rat): 4,620 mg/kg  
GLP: no

LD50 (Rat): 4,620 mg/kg  
GLP: no

LD50 (Rat): 4,620 mg/kg  
GLP: no

Acute inhalation toxicity : LC50 (Rat): 20 mg/l

LC50 (Rat): 20 mg/l

LC50 (Rat): 20 mg/l

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg  
GLP: no

LD50 (Rabbit, male): > 5,000 mg/kg  
GLP: no

LD50 (Rabbit, male): > 5,000 mg/kg  
GLP: no

**titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

**Skin corrosion/irritation**

**Product:**

Species: Rabbit  
Result: No skin irritation

**Components:**

**silica gel:**  
Result: No skin irritation

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

**docusate sodium:**

Species: Rabbit  
Result: Skin irritation  
GLP: no

Species: Rabbit  
Result: Skin irritation  
GLP: no

Species: Rabbit  
Result: Skin irritation  
GLP: no

**titanium dioxide:**

Species: Rabbit  
Result: No skin irritation

**Serious eye damage/eye irritation**

**Product:**

Species: Rabbit  
Result: No eye irritation

**Components:**

**silica gel:**

Result: No eye irritation

**docusate sodium:**

Species: Rabbit  
Result: Risk of serious damage to eyes.

Species: Rabbit  
Result: Risk of serious damage to eyes.

Species: Rabbit  
Result: Risk of serious damage to eyes.

**titanium dioxide:**

Species: Rabbit  
Result: No eye irritation

**Respiratory or skin sensitisation**

**Product:**

Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Result: Does not cause skin sensitisation.

**Components:**

**titanium dioxide:**



# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

Species: Guinea pig  
Assessment: Did not cause sensitisation on laboratory animals.

### Chronic toxicity

#### Germ cell mutagenicity

##### Product:

Germ cell mutagenicity - Assessment : negative

##### Components:

##### **docusate sodium:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

: Test Type: Ames test  
Result: negative

: Test Type: Ames test  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Result: negative

##### **titanium dioxide:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

: Test Type: Unscheduled DNA synthesis (UDS)  
Result: negative

: Test Type: in vitro assay  
Metabolic activation: with and without metabolic activation  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Rat (female)  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

### Assessment

#### **Carcinogenicity**

##### **Product:**

Carcinogenicity - Assessment : negative

##### **Components:**

###### **silica gel:**

Carcinogenicity - Assessment : IARC Class 3, not classifiable as to carcinogenicity to humans

###### **titanium dioxide:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **Reproductive toxicity**

##### **Product:**

Reproductive toxicity - Assessment : negative

#### **STOT - repeated exposure**

##### **Components:**

###### **titanium dioxide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

##### **Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 28 mg/l  
Exposure time: 96 h  
  
LC50 (Lepomis macrochirus (Bluegill sunfish)): 20 mg/l  
Exposure time: 96 h

##### **Components:**

###### **oxycarboxin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 19.9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69.1 mg/l  
Exposure time: 48 h

###### **silica gel:**

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

Toxicity to fish : LC50 (Fish): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test

**kaolin:**

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 1,100 mg/l  
Exposure time: 48 h

**docusate sodium:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 28 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
GLP: no

LC50 (Oncorhynchus mykiss (rainbow trout)): 28 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
GLP: no

LC50 (Oncorhynchus mykiss (rainbow trout)): 28 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
GLP: no

LC50 (Lepomis macrochirus (Bluegill)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
GLP: yes

LC50 (Lepomis macrochirus (Bluegill)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
GLP: yes

LC50 (Lepomis macrochirus (Bluegill)): 37 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 36 mg/l  
Exposure time: 48 h  
Analytical monitoring: no  
GLP: no

EC50 (Daphnia magna (Water flea)): 36 mg/l  
Exposure time: 48 h  
Analytical monitoring: no  
GLP: no

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

EC50 (Daphnia magna (Water flea)): 36 mg/l  
Exposure time: 48 h  
Analytical monitoring: no  
GLP: no

### **titanium dioxide:**

Toxicity to fish : LC0 (Leuciscus idus (Golden orfe)): 1,000 mg/l  
Exposure time: 48 h  
Test Type: static test

LC50 (Cyprinodon variegatus (sheepshead minnow)): 240 - 370 mg/l  
Exposure time: 96 h

### **Persistence and degradability**

#### **Components:**

#### **docosate sodium:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 66.7 %  
Exposure time: 28 d  
GLP: no

aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 66.7 %  
Exposure time: 28 d  
GLP: no

aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 66.7 %  
Exposure time: 28 d  
GLP: no

### **Bioaccumulative potential**

#### **Components:**

#### **docosate sodium:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 3.47 - 3.78  
Exposure time: 72 h  
Elimination: yes  
GLP: no

Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 3.47 - 3.78  
Exposure time: 72 h

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

---

Elimination: yes  
GLP: no

Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 3.47 - 3.78  
Exposure time: 72 h  
Elimination: yes  
GLP: no

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

### National Regulations

#### ADG

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

R-phrases(s)	: R22 R43 R52/53	Harmful if swallowed. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases(s)	: S 2 S13  S22 S36 S38  S45  S56	Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Dispose of this material and its container to hazardous or special waste collection point.
Standard for the Uniform Scheduling of Medicines and Poisons	: Schedule 5	
Prohibition/Licensing Requirements		: There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version 1.7      Revision Date: 05.05.2016      MSDS Number: 400000004019      Country: AU  
Language: EN

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TDG - Transportation of Dangerous Goods; UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751

# SAFETY DATA SHEET

## PLANTVAX® 750 WP SYSTEMIC FUNGICIDE



Version  
1.7

Revision Date:  
05.05.2016

MSDS Number:  
400000004019

Country: AU  
Language: EN

---

	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670